

## **Annual Biosolids Report**Wastewater Treatment Facilities <u>and</u> Facilities Further Treating Biosolids For Calendar Year: 2005

This annual biosolids report is for wastewater treatment facilities and facilities that engage in the further treatment of biosolids or sewage sludge and must be submitted as required by WAC 173-308-295. The due date for the annual report is March 1. The information reported must be from the previous calendar year, January 01–December 31, except where noted. Please use N/A where appropriate. Please round figures to  $\leq 1$  decimal place. Please report values as dry tons (dt). Please attach additional sheets if necessary.

SECTION A: FACILITY INFORMATION						
1)	COMPLETE AS APPLICABLE					
	a) Facility name					
	b) Authority/owner name					
	c) Facility address		State Zip			
	d) Mailing address	City	State Zip			
	e) Responsible official/title	Phone/fax	Phone/fax Email			
	f) Primary contact/title	Phone/fax	Email			
2)	CHECK AS APPLICABLE					
	a) This facility has a maximum design flow $\geq 1$ million gallons per day or serves $\geq 10,000$ people					
	b) This facility has a maximum design flow <	1 million gallons per day a	and serves < 10,000 peop	le		
	c) This facility is a "Class I" facility					
<b>3</b> )	COMPLETE AS APPLICABLE					
	a) NPDES Permit # I	ssuance Date	_ Expiration Date			
	b) State Waste Discharge Permit # I	ssuance Date	_ Expiration Date			
(L	ECTION B: BIOSOLIDS OR SEWAGE S AGOONS: This section is not applicable our lagoon[s]. Please complete Section C in	to your facility unless		•		
	PRODUCED BY YOUR FACILITY (do not in		nother facility)	dt		
-	RECEIVED FROM ANOTHER FACILITY					
	a) Facility name(s) and subtotal(s) of the above a	mount:				
3)	SENT TO ANOTHER FACILITY			dt		
	a) Facility name(s) and subtotal(s) of the above a	mount:				
4)	SENT TO A LANDFILL FOR DISPOSAL			dt		
	a) Landfill name(s) and subtotal(s) of the above a	mount:				
5)	INCINERATED AT YOUR FACILITY					
<b>6</b> )	TEMPORARY ON-SITE STORAGE (LESS T	HAN 2 YEARS)		dt		
<b>7</b> )	SENT TO A PERMITTED BIOSOLIDS BENE	FICIAL USE FACILITY	(BUF) (complete the			

ECY 070-125 (11/05)

Ecology is an Equal Opportunity Employer

following table; do not include any managed by a BUF anywhere else below except B.17 if applicable)

If you require this publication in an alternate format, please contact the Solid Waste & Financial Assistance Program at 360-407-6900 or TTY (for the speech and hearing impaired) at 711 or 800-833-6388.

	B&B Farms BUF	dt	Natural Selection Farms BUF	dt							
	Boulder Park (not a BUF submit a detailed report)	but dt	Ryegrass Ranch BUF	dt							
	Cheyne BUF	dt	Tjoelkers Farm BUF	dt							
	Fire Mountain Farms BUI	- dt	Other:	dt							
	Horse Heaven Hills BUF	dt		<u> </u>							
8) BU	LK APPLIED TO AGRIC	CULTURAL LAND	BY YOU/YOUR AGENT	dt							
9) BULK APPLIED TO FOREST LAND BY YOU/YOUR AGENT dt											
10) BULK APPLIED TO A PUBLIC CONTACT SITE BY YOU/YOUR AGENT dt											
11) BULK APPLIED TO A LAND RECLAMATION SITE BY YOU/YOUR AGENT dt											
12) BULK APPLIED TO A LAWN OR HOME GARDEN BY YOU/YOUR AGENT dt											
13) BULK SOLD/GIVEN AWAY BY YOU (but not to your agent or another facility) dt											
14) BAGGED/CONTAINERIZED SOLD/GIVEN AWAY BY YOU dt											
15) AN	<b>IOUNT IN A COMPOST</b>	BLENDED PROD	UCT SOLD/GIVEN AWAY BY	YYOUdt							
16) LAND APPLICATION SITE INFORMATION FOR NON-EXCEPTIONAL QUALITY BIOSOLIDS											
a) Site Location (Section/Township/Range)											
			; Nitrogen requirement								
	Application rate	<i>dt/acre</i> ; Area app	olied to acres; Total	applied dt							
b)	Site Location (Section/Tow	nship/Range)									
- /	Vegetation grown		; Nitrogen requirement	#/acre/vear							
	Application rate	dt/acre; Area app	olied to acres; Total	applied dt							
Application rate dt/acre; Area applied to acres; Total applied dt  17) SITES SUBJECT TO THE CUMULATIVE POLLUTANT LOADING RATES IN WAC 173-308-160											
TABLE 2 AND WHERE ≥90% OF THE LOADING RATES HAVE BEEN REACHED											
-											
TA		% OF THE LOAD									
TA	BLE 2 AND WHERE >90	% OF THE LOAD lowing:	ING RATES HAVE BEEN RE								
TA	BLE 2 AND WHERE $\geq$ 90 Attach to this report the fol i) $\square$ The information in	<b>0% OF THE LOAD</b> lowing: WAC 173-308-290(4	ING RATES HAVE BEEN RE	ACHED							
TA a)	BLE 2 AND WHERE ≥90 Attach to this report the fol i) ☐ The information in ` ii) ☐ A description of how	owing: WAC 173-308-290(4) The requirement to o	ING RATES HAVE BEEN RE	3-308-160(2)(b) was met							
TA a) SECT	BLE 2 AND WHERE ≥90 Attach to this report the fol i) ☐ The information in iii ☐ A description of how TION C: LAGOON SO	lowing: WAC 173-308-290(4) the requirement to o	ING RATES HAVE BEEN RE  4)(c)(i)-(v) btain information under WAC 173	ACHED  3-308-160(2)(b) was met  STORAGE							
TA a)  SECT 1) ES	BLE 2 AND WHERE ≥90 Attach to this report the fol i) ☐ The information in iii ☐ A description of how TION C: LAGOON SO	lowing: WAC 173-308-290(4) The requirement to open to the distribution of the complete of the	ING RATES HAVE BEEN RE  4)(c)(i)-(v) btain information under WAC 173  JLATION OR LAGOON S	ACHED  3-308-160(2)(b) was met  STORAGE							
SECT  1) ES  SECT	BLE 2 AND WHERE ≥90 Attach to this report the fol i) ☐ The information in ii) ☐ A description of how TION C: LAGOON SO TIMATED SOLIDS ACC	lowing: WAC 173-308-290(4) the requirement to open the complete of the complet	ING RATES HAVE BEEN RE  4)(c)(i)-(v) btain information under WAC 173  JLATION OR LAGOON S  STORED IN A LAGOON SYST	ACHED  3-308-160(2)(b) was met  STORAGE							
SECT  1) ES  SECT	BLE 2 AND WHERE ≥90 Attach to this report the fol i) ☐ The information in ii) ☐ A description of how TION C: LAGOON SO TIMATED SOLIDS ACC TION D: BIOSOLIDS	lowing: WAC 173-308-290(4) the requirement to o OLIDS ACCUMU UMULATED OR S QUALITY (see WAC 173-308-	ING RATES HAVE BEEN RE  4)(c)(i)-(v) btain information under WAC 173  JLATION OR LAGOON S  STORED IN A LAGOON SYST	ACHED  3-308-160(2)(b) was met  STORAGE							
SECT  1) ES  SECT  1) PA	BLE 2 AND WHERE ≥90 Attach to this report the fol i) ☐ The information in ii) ☐ A description of how TION C: LAGOON SO TIMATED SOLIDS ACC TION D: BIOSOLIDS THOGEN REDUCTION	lowing: WAC 173-308-290(4) The requirement to operation of the requirement	ING RATES HAVE BEEN RE  (4)(c)(i)-(v) btain information under WAC 173  JLATION OR LAGOON S  STORED IN A LAGOON SYST  170)  ASS A	S-308-160(2)(b) was met  STORAGE  TEM dt							
TA a)  SECT 1) ES  SECT 1) PA	BLE 2 AND WHERE ≥90 Attach to this report the fol i) ☐ The information in ii) ☐ A description of how TION C: LAGOON SO TIMATED SOLIDS ACC TION D: BIOSOLIDS THOGEN REDUCTION	lowing: WAC 173-308-290(4) the requirement to o OLIDS ACCUMU UMULATED OR S QUALITY (see WAC 173-308-	ING RATES HAVE BEEN RE  4)(c)(i)-(v) btain information under WAC 173  JLATION OR LAGOON S  TORED IN A LAGOON SYST  170)  ASS A	ACHED  3-308-160(2)(b) was met  STORAGE							
SECT  1) ES  SECT  1) PA  Class  Tim	Attach to this report the folion in The information in The information in The information of how TION C: LAGOON SCION C: LAGOON SCION D: BIOSOLIDS THOGEN REDUCTION  SES A - Alternative 1  e and Temperature	lowing: WAC 173-308-290(4) The requirement to operation of the requirement	ING RATES HAVE BEEN RE  4)(c)(i)-(v) btain information under WAC 173  JLATION OR LAGOON S  STORED IN A LAGOON SYST  170)  ASS A  2  ime	ACHED  3-308-160(2)(b) was met  STORAGE  TEM dt  Class A - Alternative 3							
SECT  1) ES  SECT  1) PA  Class  Tim  Class	Attach to this report the folion in The information in The information in The information of how TION C: LAGOON SCION C: LAGOON SCION D: BIOSOLIDS THOGEN REDUCTION  SES A - Alternative 1  e and Temperature	lowing: WAC 173-308-290(4) The requirement to of the requirement t	ING RATES HAVE BEEN RE  (4)(c)(i)-(v) btain information under WAC 173  JLATION OR LAGOON S  STORED IN A LAGOON SYST  170)  ASS A  2   ime 5	ACHED  3-308-160(2)(b) was met  STORAGE  TEM dt  Class A - Alternative 3  Process verification							
SECT  1) ES  SECT  1) PA  Class  Tim  Class	Attach to this report the folion in The information in The information in The information of how the Adescription of how the	lowing: WAC 173-308-290(4) the requirement to of the requirement t	ASS A  2 cime  5 cluce Pathogens at drying Heat treatment	GACHED  3-308-160(2)(b) was met  STORAGE  TEM dt  Class A - Alternative 3  Process verification  Class A - Alternative 6							
SECT  1) ES  SECT  1) PA  Class  Tim  Class	Attach to this report the folion in The information in The information in The information of how the Adescription of how the	lowing: WAC 173-308-290(4) The requirement to of the requirement t	A)(c)(i)-(v) btain information under WAC 173  JLATION OR LAGOON S  STORED IN A LAGOON SYST  170)  ASS A  2	GACHED  3-308-160(2)(b) was met  STORAGE  TEM dt  Class A - Alternative 3  Process verification  Class A - Alternative 6							
SECT  1) ES  SECT  1) PA  Class  Tim  Class	Attach to this report the folion in The information in The information in The information of how the Adescription of how the	lowing: WAC 173-308-290(4) Whe requirement to of the requirement t	A)(c)(i)-(v) btain information under WAC 173  JLATION OR LAGOON S  STORED IN A LAGOON SYST  170)  ASS A  2   ime  5  fuce Pathogens at drying  Heat treatment ic digestion Beta ray ray irradiation Pasteurization	GACHED  3-308-160(2)(b) was met  STORAGE  TEM dt  Class A - Alternative 3  Process verification  Class A - Alternative 6							
SECT  1) ES  SECT  1) PA  Class Tim Class Bate	Attach to this report the folion in The information in The information in The information of how the control in The information in The informatio	lowing: WAC 173-308-290(4) The requirement to of the requirement t	ASS A  Ince Pathogens at drying  Heat treatment ic digestion  Pasteurization  ASS B	Class A - Alternative 3  Process verification  Class A - Alternative 6  Equivalency							
SECT  1) ES  SECT  1) PA  Class  Bate  Class	Attach to this report the folion of the information in	lowing: WAC 173-308-290(4) The requirement to of the requirement t	ASS B  Al(c)(i)-(v) btain information under WAC 173  JLATION OR LAGOON S  TORED IN A LAGOON SYST  Luce Pathogens at drying Heat treatment ic digestion Beta ray ray irradiation Pasteurization	Class A - Alternative 3  Process verification  Class A - Alternative 6  Equivalency							
SECT  1) ES  SECT  1) PA  Class  Bate  Class	Attach to this report the folion in The information of how in The information of how in The Information of how in The Information In The Information In The Information In The Information In Informati	lowing: WAC 173-308-290(4) The requirement to of the requirement t	ASS B  REAL STATES HAVE BEEN RE  A)(c)(i)-(v) btain information under WAC 173  JLATION OR LAGOON S  STORED IN A LAGOON SYST  ASS A  2 cime  5 cuce Pathogens at drying  Heat treatment ic digestion  Beta ray ray irradiation  Pasteurization  ASS B	Class A - Alternative 3  Process verification  Class A - Alternative 6  Equivalency							
SECT  1) ES  SECT  1) PA  Class Bate  Class Seve	Attach to this report the folion of the information in	lowing: WAC 173-308-290(4) Whe requirement to of the requirement t	ASS B  Al(c)(i)-(v) btain information under WAC 173  JLATION OR LAGOON S  TORED IN A LAGOON SYST  Luce Pathogens at drying Heat treatment ic digestion Beta ray ray irradiation Pasteurization	Class A - Alternative 3  Process verification  Class A - Alternative 6  Equivalency							

2) VECTOR ATTRACTION REDUCTION (see WAC 173-308-180, -210(3), -220(3), -230(3), -240(3))								
Alternative 1 38% volatile solids reduction	Alternative 2  Bench test for anaerobically digested biosolids	Alternative 3  Bench test for aerobically digested biosolids	Alternative 4  SOUR test	Alternative 5  Aerobic treatment meeting time (14 day)/temperature (>40° C)				
Alternative 6  pH adjustment	Alternative 7 75% or greater solids content for biosolids containing only stabilized solids	Alternative 8 90% or greater solids content for biosolids containing any unstabilized solids	Alternative 9 Injection below the surface of the ground	Alternative 10 Incorporation into soil within 6 hours after application				
<ul> <li>3) POLLUTANTS (see WAC 173-308-150 and -160)</li> <li>a) How many monitoring events for pollutants did your facility carry out during the past year?</li></ul>								
<b>SECTION E: AT</b>	TACHMENTS (as	applicable)						
<ol> <li>ANALYTICAL DATA FOR POLLUTANT CONCENTRATIONS</li> <li>PROCESS MONITORING AND/OR ANALYTICAL DATA FOR PATHOGEN REDUCTION</li> <li>PROCESS MONITORING AND/OR ANALYTICAL DATA FOR VECTOR ATTRACTION REDUCTION</li> <li>APPLICABLE SIGNED/DATED CERTIFICATION STATEMENT(S) ON PAGE 4</li> </ol>								
SECTION F: AN	NUAL REPORT F	ORM CERTIFIC	ATION STATE	MENT				
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.  Signature								
			ND/II					
SECTION G: SU	BMITTING YOU	R ANNUAL REPO	ORT					
<ol> <li>ORIGINAL TO ECOLOGY HEADQUARTERS</li> <li>COPY TO THE ECOLOGY REGION WHERE YOUR FACILITY IS LOCATED</li> <li>COPY TO THE LOCAL HEALTH JURISDICTION WHERE YOUR FACILITY IS LOCATED</li> <li>COPY TO ANY LOCAL HEALTH JURISDICTION AND/OR ECOLOGY REGION WHERE         YOUR NON-EXCEPTIONAL QUALITY BIOSOLIDS WERE TREATED/APPLIED</li> <li>COPY TO EPA REGION 10 BY FEBRUARY 19 IF A "MAJOR" OR "CLASS 1" FACILITY</li> </ol>								
MAILING ADDRESSES								
Biosolids Coordinator Department of Ecology—CRO 15 West Yakima Avenue, Suite Yakima, WA 98902 Biosolids Coordinator	Departm 200 North 460 Spokane,	Coordinator ent of Ecology—ERO 01 Monroe WA 99205-1295	Biosolids Coordina Department of Ecol 3190 – 160 <sup>th</sup> Avenue Bellevue, WA 98008	logy—NWRO e S.E.				
Department of EcologySWR		Coordinator ent of Ecology—HQ	USEPA Region 10 NPDES Compliance	Unit (OCE-133), Biosolids Reports				

## **CERTIFICATION STATEMENTS (complete as applicable)** 1) YOU PREPARED BULK BIOSOLIDS AND VAR WAS MET AT YOUR FACILITY I certify, under penalty of law, that the (check as appropriate) Class A or Class B pathogen requirements in (check as appropriate) WAC 173–308–170(2) $\square$ (a), $\square$ (b), $\square$ (c), $\square$ (d), $\square$ (e), or $\square$ (f) if Class A, or WAC 173–308–170(3) $\square$ (a), $\square$ (b), or (c) if Class B, and the vector attraction reduction requirement in (check as appropriate) WAC 173–308–180 (2), (3), (4), $\square$ (5), $\square$ (6), or $\square$ (7) have been met. This determination was made under my direction and supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information used to determine that pathogen and vector attraction reduction requirements have been met. I am aware that there are significant penalties for false certification including the possibility of fine and imprisonment. **Signature** Title Date 2) YOU PREPARED BULK BIOSOLIDS AND VAR WAS NOT MET AT YOUR FACILITY I certify, under penalty of law, that the (check as appropriate) Class A or Class B pathogen requirements in (check as appropriate) WAC 173–308–170(2) $\square$ (a), $\square$ (b), $\square$ (c), $\square$ (d), $\square$ (e), or $\square$ (f) if Class A, or WAC 173–308–170(3) $\square$ (a), $\square$ (b), or (c) if Class B have been met. This determination was made under my direction and supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information used to determine that pathogen reduction requirements have been met. I am aware that there are significant penalties for false certification including the possibility of fine and imprisonment. **Signature Title** Date 3) YOU PREPARED BIOSOLIDS FOR SALE/GIVE AWAY IN A BAG OR OTHER CONTAINER (<1 METRIC TON) I certify, under penalty of law, that the Class A pathogen requirement in (check as appropriate) WAC 173–308–170(2) (a), (b), $\square$ (c), $\square$ (d), $\square$ (e), or $\square$ (f), the vector attraction reduction requirement in (check as appropriate) WAC 173–308–180 $\square$ (2), $\square$ (3), (4), (5), (6), or (7) and the pollutant concentrations limits in WAC 173-308-160 Table 3 have been met. This determination has been made under my direction and supervision in accordance with the system designed to ensure that qualified personnel properly gather and evaluate the information used to determine that pathogen requirement and vector attraction reduction requirements have been met. I am aware that there are significant penalties for false certification including the possibility of fine and imprisonment. **Title** Signature **Date** 4) YOU APPLIED BULK BIOSOLIDS EXCEEDING THE WAC 173-308-160 TABLE 3 LIMITS I certify, under penalty of law, that the requirement to obtain information under WAC 173-308-160(2)(b) has been met for each site on which bulk biosolids were applied. This determination was made under my direction and supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information used to determine that the requirements to obtain information have been met. I am aware that there are significant penalties for false certification including fine and imprisonment. **Signature** Title Date 5) YOU APPLIED BULK BIOSOLIDS THAT WERE CLASS B FOR PATHOGENS "I certify, under penalty of law, that the site management and access restrictions in (check as appropriate) WAC 173-308-210(4)(a)(i)-(ix), $\square$ WAC 173-308-220(4)(a)(i)-(ix), $\square$ WAC 173-308-230(4)(a)(i)-(ix), or $\square$ WAC 173-308-240(4)(a)(i)-(ix) have been met for each site on which bulk biosolids were applied. This determination was made under my direction and supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information used to determine that the site management and access restrictions have been met. I am aware that there are significant penalties for false certification including fine and imprisonment." Signature Title Date 6) YOU APPLIED BULK BIOSOLIDS AND USED INCORPORATION OR INJECTION FOR VAR "I certify, under penalty of law, that the vector attraction reduction requirement in (check as appropriate) WAC 173-308-210(3)(b)(i), \( \bigcup (WAC 173-308-210(3)(b)(ii), \bigcup WAC 173-308-220(3)(b)(ii), \bigcup WAC 173-308-20(3)(b)(ii), \bi 230(3)(b)(i), WAC 173-308-230(3)(b)(ii), WAC 173-308-240(3)(b)(i), or WAC 173-308-240(3)(b)(ii) has been met for each site on which biosolids were applied. This determination was made under my direction and supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information used to determine that the vector attraction reduction and site management requirements have been met. I am aware that there are significant penalties for false certification including the possibility of fine and imprisonment." Signature Title **Date** 7) YOU APPLIED NON-EXCEPTIONAL QUALITY BULK BIOSOLIDS I certify, under penalty of law, that the site management restrictions in (check as appropriate) WAC 173-308-210(4)(b)(i)-(iii), WAC 173–308–220(4)(b)(i)-(iii), $\square$ WAC 173–308–230(4)(b)(i)-(iii), or $\square$ WAC 173–308–240(4)(b)(i)-(iii) were met for each site on which bulk biosolids were applied. This determination was made under my direction and supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information used to determine that the site management restrictions have been met. I am aware that there are significant penalties for false certification including fine and imprisonment. Signature Title Date